




# SECUROPE

## *Lifeline range*

Version 1.0 – 17 April 2018

### 1. Overview


Floor, wall or overhead mounted, the Fall Protec Securope lifeline system is versatile, affordable and durable. It can be used on inclined surfaces and a range of adaptable fixings can be used to fix it to roof sheeting, existing steel structures, masonry and a host of other substrates.





## 2. Features & benefits

- 100% tie-off (no need to disconnect anywhere along the line)
- Limited deflection system (suited to low fall clearance applications)
- Adaptable to a range of surfaces and orientations (can be applied virtually anywhere)
- Can be installed directly or on posts (wide design range)
- Up to 4 users per system (scalable)
- Advanced energy absorbing (limited exposure of structure to fall forces)
- Components available in stainless steel or in copper alloy for potentially explosive environments – ATEX (for use in general or special environments )
- Several standard fixing assemblies for fragile and rigid structures (for use on general or fragile surfaces)
- Custom solutions available (engineering support for difficult access solutions)
- A range of components to suite different designs (full range of aesthetic to functional designs)





### 3. Applications

- Facilitates safe movement on horizontal, vertical or inclined surfaces
- Suited to difficult access solutions for complex layouts
- Warehouse, plant and factory roofs
- Architectural highlights and monuments
- Loading bays and docks
- Commercial office and mall roofs
- Residential and agricultural roofs
- Airport, educational and hospital building roofs
- Large plant machinery, production facilities and overhead cranes